



FORMATURA
INIEZIONE
POLIMERI

CERTIFICATE (According to EN 10204-3.1B)

1 - PRODUCT: PVC-C VALVES

2 - MANUFACTURER: FIP SpA

Quality System certified acc. to EN-ISO 9001:2000 by SQP/IIP (IQNET).

3 - RAW MATERIAL SPECIFICATION

The valves are manufactured out of BF Goodrich PVC-C compound.

4 - MANUFACTURING CONTROL

4.1 DIMENSIONS

The dimensions of valves correspond to: DIN 3441 sheet 2-3-4-5, ISO 727, ISO 15493-1.

4.2 VISUAL INSPECTION

The valves are certified to be free of bubbles, blisters, scratches or other faults detrimental to the product performance.

4.3 TESTS

The valves are tested according to ISO 15493-1, ISO 9393.

5 - PERFORMANCES

The applicable PN is stated in FIP Technical Catalogue; in general:

Ball valves PN 16 for d.16-63 , PN 10 for d.75-110.

Ball check valves PN10 for d.20-63,

Diaphragm valves PN 10 for d.20-110,

Butterfly valves PN 10 for d.75-280, PN 8 for d.315.

6 - PACKAGING

The products are packaged in cartons or other boxes, in order to avoid any damage during handling and transportation and from ultra violet rays.

Signature *G. Stucchi*